

CE Declaration

EC Declaration of Conformity

General Requirements: Herewith it is confirmed, that the product mentioned below meets the requirements of the Mandate M/103, given under the EU Construction Products Directive (89/106/EEC), ai subject to a works production control and that the required tests and assessments based on EN 13164 were realized.

Company Name And Address: URSA International, Carl Ulrich Strasse 4,
63263 Neu Insenburg, Germany

Manufacturer Plant: 2F06 - B

Product Names: URSA XPS N-III, URSA XPS N-W, URSA XPS N-V
URSA XPS N-III-PZ, URSA XPS N-V

Scope: Thermal insulation products for building applications

Company Name And Address of the Approved Body: CSTB, 84, Avenue Jean Jaurés, Marne la Vallée, Cedex 2,
F-77421, France
Number of notified laboratory: 0679

CEDEX, Laboratorio Central de Estructuras, C/ Julián Camarillo,
30, 28037 Madrid
Number of notified laboratory: 1169

Company

Manufacturer Plant

URSA International
URSA ITALIA srl - STABILIMENTO
Via Uralita, 10 - Z.I. via Copernico, 25
I-44012 Bondeno (FE)
Tel.: +39 0532 888711 Fax: +39 0532 898297
Part. IVA: 02443550963
Sonia Franceschetti
Quality Controller
Sonia Franceschetti
08/07/05

CE Declaration

EC Declaration of Conformity

Thermal Resistance depend of the Thickness

Thickness mm	20	30	40	50	60	70	80	90	100	120	140
Thermal Resistance RD	0,60	0,90	1,20	1,50	1,80	1,95	2,20	2,50	2,80	3,35	3,65

Designation Code

URSA XPS N-III (20-40 mm)	E-T1-CS(10\Y)300-DS(TH)-DLT(2)5-WD(V)3-WL(T)0,7-FT2
URSA XPS N-III (50-140 mm)	E-T1-CS(10\Y)300-DS(TH)-DLT(2)5-CC(2\1,5\50)125-WD(V)3-WL(T)0,7-FT2
URSA XPS N-III-PZ	E-T1-CS(10\Y)300-DS(TH)-TR(100)
URSA XPS N-W (20 mm)	E-T1-CS(10\Y)250-DS(TH)-DLT(2)5-TR(100)
URSA XPS N-W (>20 mm)	E-T1-CS(10\Y)250-DS(TH)-DLT(2)5-WL(T)0,7
URSA XPS N-V (40 mm)	E-T1-CS(10\Y)500-DS(TH)-DLT(2)5-WD(V)3-WL(T)0,7-FT2
URSA XPS N-V (50-120 mm)	E-T1-CS(10\Y)500-DS(TH)-DLT(2)5-CC(2\1,5\50)175-WD(V)3-WL(T)0,7-FT2